

Transitional Clinical Training in Low-Resource Settings: House Officer Preparedness, Supervision Models, and Perioperative Care Quality in Sub-Saharan African Hospitals

Sylvia Stella Favour Peteranaba^{1*}, Helen Ekwi Osinem², Florence Eribenne³, Olakunle Saheed Soyegbe⁴

¹Independent Researcher

²Jos University Teaching Hospital (JUTH), Nursing Services Department, Jos

³Bay Cove Human Services, Boston, MA, USA

⁴Independent Researcher, Pretoria, South Africa

Abstract

This review examines how the transition from medical school into house-officer practice is shaped by clinical preparedness, supervision, workplace learning, and perioperative responsibilities within resource-constrained African hospitals. It synthesizes evidence from international and sub-Saharan African literature on graduate readiness, procedural competence, decision-making, professional adaptation, consultant oversight, mentorship, patient safety, and training reform. The review adopts a narrative integrative approach, drawing together empirical studies, systematic reviews, competency frameworks, and policy-oriented scholarship to identify recurrent patterns affecting early-career clinical performance.

The findings show that readiness for practice is multidimensional and cannot be inferred from graduation alone. House officers may enter service with uneven procedural exposure, variable confidence, and limited experience managing uncertainty, deterioration, prescribing, or perioperative risk. These vulnerabilities are intensified by staffing shortages, inconsistent supervision, heavy workloads, weak feedback structures, and unequal training environments. Effective consultant oversight, graduated responsibility, psychologically safe mentorship, structured handover, and explicit escalation pathways emerged as central mechanisms for converting clinical exposure into safe professional development. Perioperative quality was particularly dependent on reliable postoperative surveillance, multidisciplinary communication, standardised safety processes, and timely senior intervention.

The review concludes that transitional training should be redesigned around competency-based progression, protected learning, accountable supervision, and stronger alignment between internship policy and workforce planning. It recommends clearer entrustment standards, routine workplace assessment, improved mentorship, robust perioperative safety systems, and longitudinal African research linking training conditions with competence, retention, adverse events, and patient outcomes. Such reforms are essential for strengthening early-career practice while improving the safety, consistency, and resilience of hospital care across diverse low-resource settings and supporting sustainable health-system capacity over time.

Keywords: House officers; Clinical preparedness; Supervision; Perioperative care; Patient safety; Sub-Saharan Africa.

Introduction

House Officer Transition and Clinical Readiness

The transition from medical school to house-officer practice represents a decisive shift from supervised learning to accountable participation in patient care. Newly qualified doctors must translate theoretical knowledge into clinical judgement, procedural competence, communication, prioritisation and safe escalation while adjusting to workflows and professional expectations. International evidence

suggests that readiness is therefore multidimensional rather than a simple measure of knowledge. It reflects the interaction between individual capability, confidence, authentic clinical exposure and the quality of support available within the workplace (Padley et al., 2021).

Preparedness is particularly consequential in low-resource hospitals, where house officers may encounter high patient volumes, staffing deficits, limited diagnostics and fewer layers of senior clinical cover. Evidence from Pakistan illustrates how new

house officers can enter practice with uncertainty about independent patient-care responsibilities, inadequate practical preparation and limited familiarity with hospital systems, despite completing formal undergraduate training. Such findings demonstrate that qualification alone does not guarantee operational readiness and that the early transition period requires deliberate orientation, guided responsibility and opportunities to consolidate applied skills (Choudry, Ayub & Badar, 2022).

This challenge is pronounced in Nigeria, where recently graduated doctors frequently contribute directly to bedside and procedural care. A national study of Nigerian medical graduates found limited exposure to several essential surgical procedures and low confidence at graduation, despite the expectation that graduates will soon function as house officers and subsequently practise with greater autonomy. In resource-constrained settings, deficiencies in procedural exposure may therefore become clinically significant because early-career doctors can face responsibilities that exceed those ordinarily encountered by graduates in better-resourced training systems (KingPriest et al., 2023).

Clinical readiness also has a perioperative dimension. House officers rotating through surgery and anaesthesia may participate in preoperative assessment, resuscitation, postoperative monitoring and emergency response, making preparedness relevant to patient safety as well as education. In South Africa, simulation-based evaluation after anaesthesia rotation identified important limitations in interns' management of a failed obstetric intubation scenario, illustrating that completion of a prescribed rotation does not necessarily equate with dependable performance during rare but critical emergencies. Competency assessment must therefore examine performance under realistic clinical pressure, not merely attendance or procedural exposure (Kiwalabye et al., 2021).

Broader research on new medical graduates similarly shows that preparedness varies considerably across domains. Graduates may feel capable in history-taking, examination and routine clinical activities yet remain less secure in prescribing, emergency management, clinical reasoning, handover

and multidisciplinary working. These uneven competency profiles are important because house officers operate at interfaces where communication failures, delayed recognition of deterioration and weak escalation can affect care quality. Transitional training should consequently recognise readiness as task-specific and context-dependent rather than assuming a uniform threshold achieved at graduation (Monrouxe et al., 2017).

Readiness also includes the capacity to adapt psychologically to demanding professional environments. Academic buoyancy research among Nigerian undergraduates links adaptive functioning with factors including self-efficacy, engagement, emotional intelligence and connectedness. Although such constructs do not substitute for demonstrated clinical competence, they illuminate personal resources that may influence how newly qualified doctors respond to setbacks, uncertainty, corrective feedback and unfamiliar responsibilities during transition. These adaptive capacities are especially relevant where service pressures can compress opportunities for reflection and supported learning (Yusuf, Sabboh & Asiyanbi, 2023).

Accordingly, transition should be viewed as a developmental continuum rather than an abrupt transfer of responsibility. Canadian transition-to-practice recommendations emphasise structured preparation for increasingly independent roles, while recognising that competence includes dimensions extending beyond technical knowledge alone. For house officers in sub-Saharan African hospitals, clinical readiness is best understood as the capacity to perform safely within defined limits, recognise uncertainty, seek timely assistance and progressively assume responsibility under supervision. This framing connects graduate preparedness directly to supervisory quality, perioperative reliability and the safety demands of low-resource clinical systems (McColl et al., 2023).

Training Constraints in African Health Systems

Training constraints within African health systems arise from workforce shortages, uneven supervisory capacity, service pressures, infrastructure deficits and restricted opportunities for structured learning. For house officers, these conditions can transform

internship from a protected period of competency development into a service-heavy role in which learning depends on staffing, case mix and senior clinician availability. Evidence from southeast Nigeria shows that fatigue from overwork, poor mentorship and inadequate skills-training courses were prominent barriers to acquisition of basic surgical skills among interns, demonstrating how institutional pressures can narrow perioperative learning opportunities (Imediegwu et al., 2022).

Constraints are intensified when health systems confront shocks that redirect personnel, equipment and organisational attention toward emergency response. South Africa's experience during COVID-19 illustrated how pre-existing workforce and resource vulnerabilities become more visible when hospitals face surges in demand, service disruption and capacity pressure. Such system-level fragility affects transitional training because educational activities, supervision and clinical exposure may be displaced by service priorities (Ikwegbue et al., 2021).

Evidence from Kenya and Uganda demonstrates that resource scarcity is embedded in internship conditions rather than limited to exceptional crises. Medical interns reported long working hours associated with staff shortages, inadequate diagnostic and material resources, weak safety climates and insufficient consultant support. Resource limitations could also reduce procedural exposure when patients required referral, linking hospital capacity directly to the breadth and quality of experiential learning available to junior doctors (Zhao et al., 2023).

Technology can widen access to educational content, yet digital approaches do not automatically resolve structural training deficits. Across sub-Saharan Africa and other low-resource settings, e-learning initiatives have struggled with insufficient maintenance, limited user support, weak institutional integration and unsustainable financing. Effective transitional training therefore requires more than digital supplementation; it depends on clinical infrastructure, teaching opportunities, accessible supervisors and organisational models that integrate education with service delivery rather than allowing workforce shortages to convert house officers into substitutes for inadequately staffed clinical teams (Barteit et al., 2019).

Review Scope, Objectives, and Significance

This review examines transitional clinical training for house officers within low-resource hospital settings in sub-Saharan Africa, with particular attention to preparedness for practice, models of supervision, and the quality of perioperative care. Its scope extends beyond the possession of theoretical knowledge to consider how newly qualified doctors adapt to clinical responsibility, develop procedural competence, manage uncertainty, and function within health systems characterised by workforce shortages, uneven infrastructure, variable access to senior clinicians, and high service demands. Particular emphasis is placed on the transition from undergraduate education to supervised clinical practice because this period represents a critical interface between professional formation and direct accountability for patient care.

The review has three principal objectives. First, it evaluates the dimensions of house officer preparedness, including clinical reasoning, procedural readiness, communication, confidence, and the capacity to recognise limitations and escalate care appropriately. Second, it analyses supervision models, mentorship structures, feedback mechanisms, and patterns of graduated responsibility that shape workplace learning and professional development. Third, it considers how these training conditions influence perioperative care quality, especially in relation to patient monitoring, teamwork, timely decision-making, error prevention, and continuity of care.

The significance of this review lies in linking medical education with health-system performance and patient safety. By examining preparedness, supervision, and perioperative quality as interconnected rather than isolated concerns, the review provides a framework for identifying weaknesses in transitional training and opportunities for reform. Its findings are intended to inform educators, hospital managers, professional bodies, and policymakers seeking to strengthen internship structures, improve supervision, support safer clinical autonomy, and enhance the reliability of perioperative care across resource-constrained African hospital systems.

House Officer Preparedness and Competency

Clinical Knowledge and Procedural Preparedness

Clinical knowledge and procedural preparedness are inseparable components of house officer readiness. Newly qualified doctors must interpret symptoms, prioritise differential diagnoses, recognise deterioration, formulate immediate management plans, and perform common procedures accurately. Evidence from United Kingdom foundation doctors indicates uneven preparedness across clinical tasks, with difficulties reported in managing uncertainty, understanding drug interactions, pain management, and selected patient problems. Transition programmes must therefore assess applied knowledge rather than assume that graduation guarantees functional competence in hospital practice (Miles, Kellett & Leinster, 2017).

In Nigeria, procedural preparedness is closely tied to opportunities for structured practice before and during internship. A study of house officers in Port Harcourt found that although many respondents had exposure to clinical skills laboratories, deficiencies persisted in some technical skills and some had never received simulator-based training. This variation matters in resource-constrained hospitals, where junior doctors may rapidly encounter venous access, catheterisation, wound care, resuscitation, specimen collection, and related tasks without extensive rehearsal. Skills laboratories can bridge conceptual understanding and patient-based performance where bedside teaching is inconsistent (Ijah et al., 2022).

The relationship between exposure and confidence is also apparent in surgical training. In Ghana, house officers reported limited experience with several surgical conditions and procedures, while low confidence was linked to restricted case numbers, infrastructure constraints, and insufficient supervision. Perioperative readiness depends not simply on knowing procedural steps, but also on recognising indications, contraindications, complications, and escalation thresholds within real workflows. Limited case diversity may therefore leave graduates theoretically familiar yet uncertain when managing complex operative or postoperative situations (Kang & Ngissah, 2020).

Preparedness should also be judged through multiple perspectives. Research from Botswana identified differences between interns' self-ratings and supervisors' assessments across professional roles, demonstrating the limitations of relying only on perceived competence. Overestimation may expose patients to unsafe autonomy, whereas underestimation may inhibit appropriate participation and learning. Objective observation, workplace-based assessment, and supervisor judgement are therefore important for determining whether knowledge can be translated reliably into clinical action under pressure (Prozesky et al., 2019).

Procedural competence additionally requires maintenance rather than one-time demonstration. Australian expert consensus identified core procedures for graduating medical students and emphasised continued practice, with strong agreement around cardiopulmonary resuscitation, airway management, asepsis, surgical scrubbing, gowning, and gloving. These competencies are directly relevant to perioperative environments, where technical lapses may compromise infection prevention, emergency response, and patient safety. Transitional training should consequently provide repeated opportunities to retain and refine essential skills after graduation (Green, Edwards & Tower, 2022).

Canadian evidence similarly supports specifying procedures that graduates should perform before assuming greater clinical responsibility. Physician educators prioritised intravenous access, airway management, local anaesthesia, phlebotomy, suturing, nasogastric tube insertion, and other competencies, supporting structured procedural curricula before clinical immersion. Explicit competency expectations reduce ambiguity for learners and supervisors while helping institutions direct limited teaching resources toward procedures with immediate relevance to care (Battaglia et al., 2020).

How procedures are taught is as important as which are selected. Effective skills education benefits from sequenced demonstration, direct observation, deliberate practice, feedback, and repeated performance until competence becomes reproducible. In low-resource hospitals, these principles can be operationalised through bedside

coaching, simulation, supervised task repetition, and focused correction without technologically elaborate facilities. Such structure is especially valuable for house officers whose learning may otherwise depend on opportunistic case exposure and service pressures (Burgess et al., 2020).

Clinical preparedness also includes professional behaviours that allow knowledge and technical skills to function safely within teams. Nigerian organisational evidence associates communication, interpersonal effectiveness, punctuality, teamwork, and professional development with effective performance. Within house-officer practice, these attributes support handover, coordination, responsiveness to supervision. Preparedness is therefore strongest when sound knowledge and procedural proficiency are integrated with disciplined professional conduct rather than treated as isolated educational outcomes (Onche, Adenekan & Sabboh, 2021).

Decision-Making During Early Clinical Practice

Early clinical practice requires house officers to make decisions before they have accumulated experiential patterns that support expert judgement. They must synthesize incomplete histories, examination findings, investigations and changing physiological data while distinguishing routine problems from conditions requiring urgent escalation. Junior doctors in emergency medicine combine intuitive impressions with deliberate analytical checking, demonstrating that early clinical reasoning is dynamic and uncertainty-sensitive (Adams et al., 2017).

In low-resource settings, decision-making is further shaped by limited diagnostics, restricted treatment options and inconsistent senior availability. Kenyan interns and supervisors have reported deficiencies in practical experience and managing clinical challenges, suggesting that graduates may enter district hospitals without sufficient exposure to expected decisions. Such environments demand prioritisation, adaptation and timely consultation where referral pathways and specialist support are constrained (Muthaura et al., 2015).

Medication prescribing illustrates the patient-safety implications of early judgement. Nigerian intern

doctors demonstrated gaps in knowledge about prescribing errors and identified circumstances increasing error risk. Prescribing therefore requires more than pharmacological recall; house officers must evaluate indication, dose, interactions, patient characteristics and monitoring requirements while recognising when uncertainty warrants senior or pharmacy input (Ajemigbitse et al., 2013).

Decision-making becomes particularly critical during clinical deterioration. Junior doctors are often among the first physicians asked to review worsening patients, yet their responses are influenced by experience, technical competence, confidence and supervision. Realistic acute-care exposure and accessible senior support can strengthen recognition, initial management and timely escalation before deterioration progresses to avoidable harm (Callaghan et al., 2017).

Effective decisions also depend on communication across professional boundaries. Evidence from Singapore shows that escalation may be disrupted by hierarchical relationships, incomplete information exchange and uncertainty regarding when senior assistance is required. For house officers working within perioperative pathways, safe judgement therefore depends on systematic assessment, explicit escalation thresholds and collaborative communication that converts individual reasoning into coordinated clinical action (Chua et al., 2020).

Confidence, Stress, and Professional Adaptation

The transition into house-officer practice requires rapid reconfiguration of professional identity as newly qualified doctors move from student roles toward accountable participation in patient care. Confidence during this period is neither purely personal nor synonymous with competence; it develops through clinical exposure, feedback, task completion and recognition of professional limits. Nigerian evidence on self-esteem among young people reinforces the importance of stable self-evaluation as a psychological resource under demanding conditions (Sabboh, 2022).

Professional adaptation can be disrupted when uncertainty, workload and fear of error exceed available coping resources. Among Nigerian undergraduates, peer approval seeking and locus

of control were associated with academic self-handicapping, highlighting how perceived control and social evaluation can shape responses to demanding environments. For house officers, comparable pressures may arise when seeking acceptance from senior clinicians while demonstrating independence and avoiding mistakes (Sabbah & Ojo, 2023).

Clinical stress is intensified by long hours, competing responsibilities and expectations to perform reliably despite limited experience. House officers in Pakistan reported occupational stress across professional groups, illustrating how workload, training schedules and difficult work environments may burden practitioners early in their careers. Persistent stress can reduce concentration, confidence and learning engagement when skills consolidation is required (Shahzad et al., 2019).

In South Africa, burnout among junior doctors has been linked to retention of clinical skills, showing that psychological strain can influence workforce stability and preservation of competence. This relationship is consequential in resource-constrained perioperative services, where fatigue and disengagement may weaken learning continuity and willingness to assume complex responsibilities (Stodel & Stewart-Smith, 2011).

Adaptation is shaped by workplace culture. British junior doctors describe stress as intertwined with cultural expectations, professional pressures and coping practices, demonstrating that resilience cannot be treated solely as an individual trait. Transitional programmes should foster psychologically safe supervision, realistic responsibility, peer support and structured reflection so that confidence develops alongside competence rather than through unsupported exposure to clinical risk (Jasmin & Binnie, 2020).

Preparedness Gaps Across Training Environments

Preparedness gaps among house officers are not produced solely by individual ability; they reflect differences in curricula, clinical exposure, resources, supervision, and training environments. Graduates from medical schools may therefore enter internship with unequal confidence across responsibilities. United Kingdom evidence demonstrates variability in perceived preparedness between schools and

between graduates and clinical teams, indicating that curricular design and workplace expectations do not always converge at transition (Morrow et al., 2012).

Training context influences whether theoretical learning becomes usable clinical capability. Australian evidence comparing graduate-entry, problem-based and other programmes showed differences in perceived preparation across interpersonal skills, confidence, collaboration, holistic care, and self-directed learning. Such findings suggest that educational architecture shapes readiness profiles rather than producing uniform graduate competence (Dean et al., 2003).

Differences may become more consequential when graduates move into resource-constrained African hospitals. In South Africa, community-service doctors generally considered internship useful preparation, yet weaknesses remained in ear, nose and throat practice, urology, ophthalmology, dermatology, and emergency skills. These gaps illustrate how rotational structure and case exposure can leave doctors insufficiently prepared for responsibilities outside tertiary training centres (Nkabinde et al., 2013).

Disruption of clinical placements demonstrates that preparedness depends on the quality and continuity of experiential learning. Australian students whose final-year education was affected during the COVID-19 period identified clinical exposure, responsibility, teaching quality, and supportive learning environments as important influences on readiness for work. Reduced access to authentic patient care can therefore magnify transition difficulties even where formal curricula remain intact (Chan, Hakendorf & Thomas, 2023).

Environmental influences also extend to learners' perceptions of capability. Nigerian educational research linking school climate and self-efficacy with behavioural outcomes reinforces the importance of institutional climate in shaping learner functioning. For house officers, disparities in supervision, workload, equipment, case mix, and psychological safety may consequently produce different readiness trajectories across hospitals, making preparedness a context-sensitive outcome requiring locally responsive assessment and training support (Sabbah & Alausa, 2021).

Supervision Models and Workplace Learning

Consultant Oversight and Graduated Responsibility

Consultant oversight is central to transitional clinical training because house officers occupy an intermediate position between supervised graduates and increasingly autonomous practitioners. Effective supervision must therefore protect patients while permitting progressively greater responsibility as competence becomes demonstrable. In Nigeria, postgraduate trainees have historically reported excessive workload, inadequate supervision, and limited opportunities to review progress with consultants, including situations in which doctors were required to manage problems beyond their experience. Such findings illustrate why consultant availability cannot be reduced to nominal assignment; oversight must include accessible review, timely clinical guidance, feedback, and explicit discussion of developmental progress (Talabi, 2003).

The consequences of weak oversight are particularly important in resource-constrained hospitals, where junior doctors may become default frontline decision-makers during nights, emergencies, and high-volume periods. A national South African survey found substantial deficiencies in internship supervision, including first-time interventional procedures performed without supervision and adverse events occurring when senior help was unavailable. These observations demonstrate that graduated responsibility becomes unsafe when autonomy is created by service gaps rather than deliberately granted according to competence, case complexity, and available backup (Bola, Trollip & Parkinson, 2015).

Graduated responsibility is best understood as an entrustment process rather than a fixed timetable. Entrustment decisions require supervisors to judge whether a trainee can safely execute a professional activity with a specified level of assistance, taking account of demonstrated competence, reliability, task complexity, and clinical circumstances. This approach is particularly relevant to house officers because progression should depend on observed performance rather than completion of a rotation

alone. Entrustment thereby converts supervision from passive presence into an active educational judgement linking assessment, responsibility, and patient safety (ten Cate et al., 2016).

Supervisory intensity must also remain adaptable. Canadian research on inpatient supervision shows that attending physicians move between more hands-on and more hands-off approaches according to patient-care priorities, perceived responsibility, and trainee capability. This fluidity is important in low-resource African settings, where a house officer who manages routine postoperative reviews competently may still require direct consultant involvement for unexpected deterioration, complex comorbidity, haemodynamic instability, or procedural uncertainty. Graduated autonomy should therefore be task-specific and reversible when clinical risk changes (Gingerich et al., 2018).

More supervision, however, is not automatically better supervision. A randomized clinical trial in the United States found that increased attending presence did not significantly reduce medical errors but affected residents' perceptions of autonomy and learning. The implication is that consultant oversight should not become continuous takeover of clinical work. Excessively restrictive supervision can limit opportunities to reason independently, formulate management plans, and develop accountability. Well-designed oversight instead preserves a safety net while requiring house officers to think, act, communicate, and escalate within clearly defined boundaries (Finn et al., 2018).

This balance is especially consequential in perioperative training, where procedural responsibility must increase without exposing patients to avoidable risk. The Zwisch scale demonstrates how operative supervision can be conceptualised along graduated levels of faculty guidance, providing a structured method for relating autonomy to observed performance. Although developed for surgical residents, its underlying principle is applicable to house officers participating in perioperative pathways: supervisors can progressively reduce prompting as competence strengthens while remaining prepared to intervene when performance or patient condition warrants closer control (George et al., 2014).

Sustainable supervision also depends on institutional leadership. Ethical leadership literature from the Southern African Development Community context emphasises the importance of accountable implementation, institutional capacity, and leadership commitment in translating policy into practice. Within hospital training systems, these principles support clear supervisory expectations, consultant accountability, workable escalation arrangements, and enforcement of training standards rather than reliance on informal goodwill. In low-resource settings, graduated responsibility is therefore most credible when clinical autonomy is deliberately earned, organisationally supported, and matched by dependable consultant availability across routine, urgent, complex, and high-risk perioperative care within resource-constrained hospital systems (Enaifoghe, Dlamini & Agwuna, 2020).

Mentorship, Feedback, and Clinical Learning

Mentorship, feedback, and clinical learning are central to house-officer development because transition to practice depends on more than patient exposure. Effective mentorship provides relational continuity, helps novices interpret difficult experiences, supports professional identity formation, and offers a route for discussing uncertainty. Formal programmes are most useful when expectations are clear and relationships match individual developmental needs rather than functioning as administrative exercises (Polley, Cisternino & Gray, 2021).

Feedback converts clinical activity into learning by identifying discrepancies between intended and actual performance. Its educational value depends

on specificity, timing, credibility, and willingness to disclose uncertainty. Psychological safety is therefore essential: house officers are more likely to ask questions, acknowledge limitations, and act on corrective guidance when feedback conversations are respectful and non-punitive, in hierarchical clinical environments (Johnson, Keating & Molloy, 2020).

Workplace assessment can strengthen learning when entrustment judgements generate actionable information rather than document competence. Trainees report that assessment is most educational when supervisors clarify expectations, explain entrustment decisions, and identify concrete priorities for improvement. For perioperative house officers, this creates a bridge between observed performance and safer autonomy (Martin et al., 2020).

Clinical learning environments also determine whether mentorship and feedback are consistently available. Evidence from Uganda indicates that postgraduate trainees' perceptions of teaching, autonomy, and social support vary within resource-constrained settings, underscoring the importance of organisational conditions that protect learning amid service demands. Structured contact with approachable supervisors can prevent clinical work from becoming repetitive service without developmental progression (Alele, Kiptoo & Hill-Besinque, 2023).

Learner engagement remains equally important. Nigerian evidence linking teaching styles with academic boredom among undergraduates illustrates how instructional approaches can influence participation and motivation. Applied to transitional clinical training, passive observation

Table 1: Illustrative mentorship and clinical-learning model for house officers

<i>Training mechanism</i>	<i>Practical application</i>	<i>Developmental purpose</i>	<i>Expected perioperative value</i>
Structured mentorship	Named senior mentor with scheduled meetings	Professional guidance and adaptation	Earlier discussion of uncertainty and risk
Bedside feedback	Immediate review after clinical encounters	Correct knowledge and performance gaps	Safer assessment and postoperative management
Entrustment feedback	Responsibility linked to observed competence	Calibrate progressive autonomy	Appropriate procedural independence
Reflective learning	Guided case reflection and debriefing	Strengthen clinical reasoning	Improved recognition of preventable errors
Supportive learning climate	Accessible seniors and respectful dialogue	Encourage questions and disclosure	Timelier escalation of deteriorating patients

and irregular feedback may weaken engagement, whereas purposeful questioning, guided reflection, case discussion, and supervised participation can sustain learning momentum. Mentorship should therefore operate alongside bedside feedback, reflective practice, and explicit learning goals so that experience becomes stronger judgement, technical competence, teamwork, and perioperative reliability (Sabboh & Olugbade, 2021).

Perioperative Care Quality and Safety

House Officers Within Perioperative Care Pathways

House officers occupy a critical position within perioperative care pathways because they frequently connect surgical assessment, theatre preparation, immediate postoperative review, ward surveillance, and escalation to senior teams. Their effectiveness therefore depends on understanding perioperative care as a continuous process rather than a sequence of isolated tasks. International evidence shows that postoperative complications are common across diverse health systems and that failure to recognise and respond to deterioration contributes substantially to mortality, reinforcing the importance of reliable ward-based surveillance after surgery (International Surgical Outcomes Study Group, 2016).

In sub-Saharan Africa, this responsibility is particularly consequential. The African Surgical Outcomes Study found that surgical patients on the continent experienced approximately twice the global mortality after surgery despite comparatively favourable risk profiles, with most deaths occurring after the day of operation. These findings place postoperative observation, documentation, communication, and timely escalation at the centre of perioperative quality. House officers, who often provide first-line ward reviews, must therefore recognise evolving physiological abnormalities, assess wounds and drains, identify infection or bleeding, and promptly involve senior clinicians when deterioration exceeds their level of competence (Biccard et al., 2018).

Evidence from the ASOS-2 trial further demonstrates the importance of structured postoperative surveillance in African hospitals. Although enhanced surveillance did not

significantly reduce overall in-hospital mortality, the trial operationalised risk identification, increased monitoring, and escalation pathways for high-risk surgical patients. For house officers, such systems clarify which observations require action and reduce dependence on informal judgement alone, particularly where nursing ratios, critical-care capacity, and continuous monitoring are constrained (ASOS-2 Investigators, 2021).

Before surgery, house officers may contribute to history taking, examination, investigation review, consent preparation, fluid optimisation, antimicrobial planning, and confirmation that essential clinical information reaches the operating team. Safety checklists provide a structured mechanism for coordinating these activities across disciplines. A landmark multinational study associated implementation of the WHO surgical safety checklist with reductions in inpatient complications and mortality, highlighting the value of standardised verification and team communication around induction, incision, and theatre exit (Haynes et al., 2009).

Checklist effectiveness, however, depends on meaningful participation rather than mechanical completion. A large international cohort and meta-analysis found an association between checklist exposure and improved postoperative outcomes, while also suggesting that checklist use may reflect broader institutional quality. House officers therefore need to understand why identity checks, antibiotic timing, anticipated blood loss, specimen labelling, and postoperative plans matter, rather than viewing documentation as clerical work detached from clinical responsibility (Abbott et al., 2018).

The Nigerian context illustrates the consequences of weak perioperative verification. Reports of wrong-site surgery in a regional trauma centre identified absence of a formal institutional prevention process and highlighted the need for reporting, audit, and standardised safety practices. House officers can contribute to safer pathways by confirming patient identity, operative site, documentation, investigations, and planned procedures while escalating inconsistencies before irreversible harm occurs (Nwosu, 2015).

Transitions between theatre and postoperative care are another vulnerable point. Standardised operating-room-to-recovery handoffs have been shown to improve transfer of clinical information without prolonging handover duration. House officers receiving postoperative patients should obtain explicit information about the procedure performed, anaesthetic concerns, blood loss, fluids, medications, drains, pending investigations, expected recovery, and thresholds for contacting senior staff (Caruso et al., 2015).

Perioperative reliability ultimately depends on multidisciplinary coordination. Evidence on emergency care demonstrates that collaboration can improve information sharing, timely intervention, operational efficiency, and patient-centred management. Similar principles apply to surgery, where house officers must communicate effectively with surgeons, anaesthetists, nurses, pharmacists, laboratory personnel, and critical-care teams. Their role is therefore not simply to execute delegated tasks, but to maintain continuity across perioperative interfaces, recognise emerging risk, communicate changes accurately, and ensure that concerns reach professionals capable of definitive intervention (Ohunyon, Ayinde & Ojukwu, 2023). This coordination matters when scarce resources delay diagnostics, limit specialist availability, and intensify competing demands across wards.

Supervision, Errors, and Patient Safety

Supervision is a principal patient-safety control during house-officer training because inexperienced clinicians must manage uncertainty while learning under service pressure. A systematic review and meta-analysis indicates that clinical supervision is associated with lower risks of mortality and complications, although evidence quality varies. For transitional training, supervision should be visible, responsive, and proportionate to task complexity rather than limited to retrospective review after adverse events (Snowdon et al., 2016).

Errors frequently emerge from interactions among individual limitations, workload, team processes, and organisational conditions. In a Nigerian tertiary hospital, prescribing errors among junior doctors were linked to attention

failures, inadequate experience, deficient reference resources, senior prescribing habits, and insufficient supervision. Error prevention must therefore combine competency development with accessible senior review, prescribing safeguards, and workload control instead of attributing mistakes solely to individual negligence (Ajemigbitse et al., 2013).

Safety also depends on whether house officers can disclose uncertainty and report near misses without fear of humiliation or punishment. Ghanaian evidence identifies management support, teamwork across units, and organisational learning as important determinants of patient-safety culture. In perioperative services, these conditions encourage early escalation, interdisciplinary checking, and learning from deviations before they produce patient harm (Abuosi, Akologo & Anaba, 2020).

Supervision quality is therefore more important than supervisory presence. United States residency data found that problems with clinical supervision were associated with self-reported medical errors and poorer learning experiences. Consultants should establish explicit thresholds for independent action, direct review, and emergency escalation while ensuring that junior clinicians understand when assistance is expected rather than interpreted as failure (Baldwin et al., 2018).

Organisational design further shapes the safety value of supervision. Across NHS institutions, trainee perceptions of clinical supervision, teamwork, and rota design were consistently correlated with excess mortality, particularly supervision outside hours. Resource-constrained hospitals should therefore align staffing and escalation systems with periods of vulnerability, including nights, weekends, postoperative deterioration, and emergency theatre activity, when house officers may carry disproportionate responsibility with limited senior support (Barton et al., 2023).

Strengthening Transitional Clinical Training

Training Reform, Policy, and Research Priorities

Training reform for house officers in low-resource African hospitals should move from predominantly time-based internship completion

Table 2: Illustrative supervision and patient-safety framework for house officers

<i>Safety domain</i>	<i>Potential vulnerability</i>	<i>Supervisory mechanism</i>	<i>Expected patient-safety contribution</i>
Clinical decisions	Inexperience and diagnostic uncertainty	Defined senior-review thresholds	Earlier correction of unsafe decisions
Medication management	Prescribing and dosing errors	Prescription review and accessible guidance	Reduced preventable medication harm
Perioperative deterioration	Delayed recognition or escalation	Explicit escalation protocols	Faster senior intervention
Procedures	Performance beyond demonstrated competence	Competency-based direct supervision	Reduced procedural complications
Handover	Missing or ambiguous clinical information	Structured consultant-supported handover	Stronger continuity of care
Error reporting	Fear, blame, or concealment	Non-punitive reporting processes	Greater organisational learning
Out-of-hours care	Reduced senior presence	Reliable on-call escalation pathways	Safer night and weekend coverage

toward demonstrable competence, supervised responsibility, and measurable patient-safety outcomes. Competency-based medical education provides a useful foundation because it defines progression through abilities required for practice rather than exposure alone, while recognising competence as developmental and context-dependent. For house officers, reform should specify essential clinical activities, expected supervision levels, assessment standards, and remediation pathways across medicine, surgery, paediatrics, obstetrics, emergency care, and perioperative services (Frank et al., 2010).

Policy reform must also address the institutional conditions that determine whether such curricula can function. Across sub-Saharan Africa, medical schools have faced shortages of clinical faculty, constrained infrastructure, rapid enrolment expansion, uneven accreditation, and limited research capacity. These pressures continue into internship when teaching hospitals absorb growing numbers of graduates without proportional increases in supervisors or training resources. National internship standards should therefore link approved trainee numbers to faculty availability, case mix, essential equipment, supervision capacity, and protected teaching time, while requiring periodic accreditation of clinical training sites (Chen et al., 2012).

A broader systems approach is necessary because educational reform cannot succeed when training institutions remain disconnected from workforce planning. Global health-professions reform has emphasised transformative learning, interprofessional education, stronger links between education and health-system needs, and institutional accountability. Applied to house-officer training, this requires ministries of health, medical councils, universities, teaching hospitals, and professional colleges to share responsibility for competency standards, workforce deployment, financing, quality assurance, and transition-to-practice support rather than treating internship as an administratively isolated year (Frenk et al., 2010).

Rwanda's Human Resources for Health initiative illustrates how coordinated policy can strengthen training capacity through international academic partnerships, faculty development, specialist training, and institutional investment. Its experience demonstrates that external partnerships are most valuable when they build durable local teaching capacity rather than create parallel programmes dependent on visiting expertise. Comparable reforms for house officers should prioritize local supervisor development, sustainable faculty pipelines, context-appropriate curricula, and progressive transfer of educational leadership to African institutions,

especially where perioperative services face persistent shortages of experienced clinicians (Binagwaho et al., 2013).

Implementation should nevertheless be evaluated continuously rather than assuming that adoption of competency frameworks guarantees improvement. Experience with competency-based postgraduate reform in Canada shows that implementation fidelity, stakeholder understanding, assessment burden, faculty development, and local adaptation require repeated evaluation and adjustment. African internship reforms should similarly establish measurable indicators for supervision frequency, procedural exposure, entrustment decisions, feedback quality, adverse events, trainee well-being, and postoperative outcomes. Routine data could identify poorly performing rotations and facilities while supporting targeted remediation and policy refinement. Implementation should also account for rural facilities, where limited specialist density may require flexible supervision and referral arrangements (Hall et al., 2020).

Workforce sustainability should also form part of training policy because retention and performance are influenced by organisational conditions after recruitment. Frameworks linking employee retention with operational productivity highlight the value of aligning workforce support, performance measures, career development, and institutional outcomes. Within hospital internship systems, analogous principles support fair workloads, predictable rotations, safe accommodation where relevant, timely remuneration, mentorship, and credible career pathways. These measures can reduce avoidable dissatisfaction while protecting continuity in clinical services and preserving investment in developing early-career doctors (Falemi, Akhigbe & Akin-Oluyomi, 2023).

Research priorities should extend beyond trainee satisfaction toward longitudinal evidence connecting training environments with competence, retention, and patient outcomes. Studies should compare supervision models, rural and tertiary placements, simulation strategies, workplace-based assessment, and perioperative learning across countries while examining gender, specialty choice, institutional

culture, and resource availability. Career-development research also suggests that structured social support can influence decision processes, reinforcing the value of examining how mentorship and professional guidance shape early-career trajectories. Multicentre African cohorts and implementation studies would provide stronger evidence for context-sensitive reform than isolated cross-sectional evaluations (Ezeani, Ogu & Sabboh, 2023).

Conclusion

The review demonstrates that the transition from medical school to house-officer practice is a clinically consequential stage shaped by the interaction of individual preparedness, supervisory quality, institutional capacity, and health-system constraints. Its first objective was met by examining the dimensions of readiness required for safe early practice. The evidence shows that clinical knowledge alone is insufficient; procedural competence, decision-making under uncertainty, communication, confidence, resilience, and the ability to recognise limitations are equally important. Preparedness also varies substantially across training environments, reflecting differences in clinical exposure, workload, infrastructure, and access to structured learning.

The second objective was addressed through analysis of supervision, mentorship, feedback, and graduated responsibility. Effective oversight emerged as a dynamic process in which autonomy should increase according to demonstrated competence rather than time served. Consultant accessibility, psychologically safe feedback, entrustment-based assessment, and purposeful mentorship were identified as essential mechanisms for converting workplace exposure into meaningful learning while protecting patients from avoidable risk.

The third objective considered how transitional training influences perioperative care quality. House officers occupy important positions across preoperative assessment, theatre preparation, postoperative monitoring, handover, and escalation. Weak supervision, communication failures, prescribing errors, and delayed recognition of deterioration can therefore translate educational deficiencies into patient-safety consequences,

particularly in resource-constrained hospitals where junior doctors may carry substantial frontline responsibility.

Taken together, the findings support reform of internship systems around competency-based progression, clearly defined supervision thresholds, protected teaching, structured workplace assessment, and stronger integration between training policy and workforce planning. Hospitals and regulators should also strengthen postoperative surveillance, escalation protocols, multidisciplinary communication, and non-punitive error reporting. Future research should prioritise multicentre African studies that link training conditions with competence, retention, adverse events, and perioperative outcomes. Such evidence is necessary to ensure that transitional clinical training develops capable, supported, and accountable practitioners while simultaneously strengthening the safety and reliability of care across diverse African settings.

References

1. Abbott, T.E.F., Ahmad, T., Phull, M.K., Fowler, A.J., Hewson, R., Biccadd, B.M., Chew, M.S., Gillies, M., Pearse, R.M. & International Surgical Outcomes Study (ISOS) Group (2018) 'The surgical safety checklist and patient outcomes after surgery: A prospective observational cohort study, systematic review and meta-analysis', *British Journal of Anaesthesia*, 120(1), pp. 146–155. DOI: 10.1016/j.bja.2017.08.002
2. Abuosi, A.A., Akologo, A. & Anaba, E.A. (2020) 'Determinants of patient safety culture among healthcare providers in the Upper East Region of Ghana', *Journal of Patient Safety and Risk Management*, 25(1), pp. 35–43. DOI: 10.1177/2516043519876756
3. Adams, E., Goyder, C., Heneghan, C., Brand, L. & Ajjawi, R. (2017) 'Clinical reasoning of junior doctors in emergency medicine: A grounded theory study', *Emergency Medicine Journal*, 34(2), pp. 70–75. DOI: 10.1136/emmermed-2015-205650
4. Ajemigbitse, A.A., Omole, M.K., Ezike, N.C. & Erhun, W.O. (2013) 'Assessment of the knowledge and attitudes of intern doctors to medication prescribing errors in a Nigerian tertiary hospital', *Journal of Basic and Clinical Pharmacy*, 5(1), pp. 7–14. DOI: 10.4103/0976-0105.128244
5. Ajemigbitse, A.A., Omole, M.K., Osi-Ogbu, O.F. & Erhun, W.O. (2013) 'A qualitative study of causes of prescribing errors among junior medical doctors in a Nigerian in-patient setting', *Annals of African Medicine*, 12(4), pp. 223–231. DOI: 10.4103/1596-3519.122691
6. Alele, P.E., Kiptoo, J. & Hill-Besinque, K. (2023) 'Postgraduate medical trainees at a Ugandan university perceive their clinical learning environment positively but differentially despite challenging circumstances: A cross-sectional study', *BMC Medical Education*, 23, 965. DOI: 10.1186/s12909-023-04933-7
7. ASOS-2 Investigators (2021) 'Enhanced postoperative surveillance versus standard of care to reduce mortality among adult surgical patients in Africa (ASOS-2): A cluster-randomised controlled trial', *The Lancet Global Health*, 9(10), pp. e1391–e1401. DOI: 10.1016/S2214-109X(21)00291-6
8. Baldwin, D.C. Jr., Daugherty, S.R., Ryan, P.M., Yaghmour, N.A. & Philibert, I. (2018) 'Residents' ratings of their clinical supervision and their self-reported medical errors: Analysis of data from 2009', *Journal of Graduate Medical Education*, 10(2), pp. 235–241. DOI: 10.4300/JGME-D-18-00200.1
9. Barteit, S., Jahn, A., Banda, S.S., Bärnighausen, T., Bowa, A., Chileshe, G., Guzek, D., Jorge, M.M., Lüders, S., Malunga, G. & Neuhaus, F. (2019) 'E-Learning for medical education in Sub-Saharan Africa and low-resource settings: Viewpoint', *Journal of Medical Internet Research*, 21(1), e12449. DOI: 10.2196/12449
10. Barton, J.C., Richardson, D., Corrigan, A.E., Solomons, M.R., Kuri, A. & Round, J. (2023) 'Supervision, scheduling, satisfaction and shared working: How experiences of junior doctors relate to excess mortality within the NHS', *Clinical Medicine*, 23(6), pp. 582–587. DOI: 10.7861/clinmed.2023-0129
11. Battaglia, F., Sayed, C., Merlano, M., McConnell, M., Ramnanan, C., Rowe, J., Wang, H., Patel, V. & Rastogi, N. (2020) 'Identifying essential

- procedural skills in Canadian undergraduate medical education', Canadian Medical Education Journal, 11(6), pp. e17–e23. DOI: 10.36834/cmej.68494
12. Biccadd, B.M., Madiba, T.E., Kluyts, H.L., Munlemvo, D.M., Madzimbamuto, F.D., Basenero, A., Gordon, C.S., Youssouf, C., Rakotoarison, S.R., Gobin, V., Samateh, A.L., Sani, C.M., Omigbodun, A.O., Amanor-Boadu, S.D., Tumukunde, J.T., Esterhuizen, T.M., Le Manach, Y., Forget, P., Elkhogla, A.M., Mehyaoui, R.M., Zoumeno, E., Ndayisaba, G., Ndasi, H., Ndonga, A.K.N., Ngumi, Z.W.W., Patel, U.P., Ashebir, D.Z., Antwi-Kusi, A.A.K., Mbwele, B., Sama, H.D., Elfiky, M., Fawzy, M.A. & Pearce, R.M. (2018) 'Perioperative patient outcomes in the African Surgical Outcomes Study: A 7-day prospective observational cohort study', The Lancet, 391(10130), pp. 1589–1598. DOI: 10.1016/S0140-6736(18)30001-1
13. Binagwaho, A., Kyamanywa, P., Farmer, P.E., Nuthulaganti, T., Umubyeyi, B., Nyemazi, J.P., Mugeni, S.D., Asiimwe, A., Ndagijimana, U., McPherson, H.L., Ngirabega, J.D.D., Sliney, A., Uwayezu, A., Rusanganwa, V., Wagner, C.M., Nutt, C.T., Eldon-Edington, M., Cancedda, C., Magaziner, I.C. & Goosby, E. (2013) 'The Human Resources for Health Program in Rwanda—A new partnership', New England Journal of Medicine, 369(21), pp. 2054–2059. DOI: 10.1056/NEJMSr1302176
14. Bola, S., Trollip, E. & Parkinson, F. (2015) 'The state of South African internships: A national survey against HPCSA guidelines', South African Medical Journal, 105(7), pp. 535–539. DOI: 10.7196/SAMJnew.7923
15. Burgess, A., van Diggele, C., Roberts, C. & Mellis, C. (2020) 'Tips for teaching procedural skills', BMC Medical Education, 20(Suppl 2), 458. DOI: 10.1186/s12909-020-02284-1
16. Callaghan, A., Kinsman, L., Cooper, S. & Radomski, N. (2017) 'The factors that influence junior doctors' capacity to recognise, respond and manage patient deterioration in an acute ward setting: An integrative review', Australian Critical Care, 30(4), pp. 197–209. DOI: 10.1016/j.aucc.2016.09.004
17. Caruso, T.J., Marquez, J.L., Wu, D.S., Shaffer, J.A., Balise, R.R., Groom, M., Leong, K., Mariano, K., Honkanen, A. & Sharek, P.J. (2015) 'Implementation of a standardized postanesthesia care handoff increases information transfer without increasing handoff duration', The Joint Commission Journal on Quality and Patient Safety, 41(1), pp. 35–42. DOI: 10.1016/S1553-7250(15)41005-0
18. Chan, J.E.Z., Hakendorf, P. & Thomas, J.S. (2023) 'Key aspects of teaching that affect perceived preparedness of medical students for transition to work: Insights from the COVID-19 pandemic', Internal Medicine Journal, 53(8), pp. 1321–1331. DOI: 10.1111/imj.16146
19. Chen, C., Buch, E., Wassermann, T., Frehywot, S., Mullan, F., Omaswa, F., Greysen, S.R., Kolars, J.C., Dovlo, D., Abu Bakr, D.E.E.G., Haileamlak, A., Koumare, A.K. & Olapade-Olaopa, E.O. (2012) 'A survey of Sub-Saharan African medical schools', Human Resources for Health, 10, 4. DOI: 10.1186/1478-4491-10-4
20. Choudry, Z.A., Ayub, A. & Badar, S.E. (2022) 'Preparedness of medical graduates to serve in clinical settings independently: An exploratory qualitative study', Pakistan Journal of Medical Sciences, 38(4), pp. 785–790. DOI: 10.12669/pjms.38.4.5517
21. Chua, W.L., Legido-Quigley, H., Jones, D., Hassan, N.B., Tee, A. & Liaw, S.Y. (2020) 'A call for better doctor–nurse collaboration: A qualitative study of the experiences of junior doctors and nurses in escalating care for deteriorating ward patients', Australian Critical Care, 33(1), pp. 54–61. DOI: 10.1016/j.aucc.2019.01.006
22. Dean, S.J., Barratt, A.L., Hendry, G.D. & Lyon, P.M.A. (2003) 'Preparedness for hospital practice among graduates of a problem-based, graduate-entry medical program', Medical Journal of Australia, 178(4), pp. 163–166. DOI: 10.5694/j.1326-5377.2003.tb05132.x
23. Enaifoghe, A., Dlamini, N.P. & Agwuna, L.U. (2020) 'African economic integration development in technological transformation: Assessing the importance of ethical leadership for policy implementation in SADC', Journal of Economics and Behavioral Studies, 12(6), pp.

- 11–20. DOI: 10.22610/jebs.v12i6(J).3102
24. Ezeani, P.T., Ogu, C. & Sabboh, G.M. (2023) 'Parental involvement as correlate of career decision-making among secondary school students in Oyo State, Nigeria', *British Journal of Multidisciplinary and Advanced Studies: Arts, Humanities and Social Sciences*, 4(4), pp. 106–115. DOI: 10.37745/bjmas.2022.0260
25. Falemi, A., Akhigbe, R. & Akin-Oluyomi, O.T. (2023) 'A proposed framework for integrating employee retention systems with operational productivity metrics', *International Journal of Advanced Multidisciplinary Research and Studies*, 3(1), pp. 1704–1724. DOI: 10.62225/2583049X.2023.3.1.5339
26. Finn, K.M., Metlay, J.P., Chang, Y., Nagarur, A., Yang, S., Landrigan, C.P. & Iyasere, C. (2018) 'Effect of increased inpatient attending physician supervision on medical errors, patient safety, and resident education: A randomized clinical trial', *JAMA Internal Medicine*, 178(7), pp. 952–959. DOI: 10.1001/jamainternmed.2018.1244
27. Frank, J.R., Snell, L.S., ten Cate, O., Holmboe, E.S., Carraccio, C., Swing, S.R., Harris, P., Glasgow, N.J., Campbell, C., Dath, D., Harden, R.M., Iobst, W., Long, D.M., Mungroo, R., Richardson, D.L., Sherbino, J., Silver, I., Taber, S., Talbot, M. & Harris, K.A. (2010) 'Competency-based medical education: Theory to practice', *Medical Teacher*, 32(8), pp. 638–645. DOI: 10.3109/0142159X.2010.501190
28. Frenk, J., Chen, L., Bhutta, Z.A., Cohen, J., Crisp, N., Evans, T., Fineberg, H., Garcia, P., Ke, Y., Kelley, P., Kistnasamy, B., Meleis, A., Naylor, D., Pablos-Mendez, A., Reddy, S., Scrimshaw, S., Sepulveda, J., Serwadda, D. & Zurayk, H. (2010) 'Health professionals for a new century: Transforming education to strengthen health systems in an interdependent world', *The Lancet*, 376(9756), pp. 1923–1958. DOI: 10.1016/S0140-6736(10)61854-5
29. George, B.C., Teitelbaum, E.N., Meyerson, S.L., Schuller, M.C., DaRosa, D.A., Petrusa, E.R., Petito, L.C. & Fryer, J.P. (2014) 'Reliability, validity, and feasibility of the Zwisch scale for the assessment of intraoperative performance', *Journal of Surgical Education*, 71(6), pp. e90–e96. DOI: 10.1016/j.jsurg.2014.06.018
30. Gingerich, A., Daniels, V., Farrell, L., Olsen, S.-R., Kennedy, T. & Hatala, R. (2018) 'Beyond hands-on and hands-off: Supervisory approaches and entrustment on the inpatient ward', *Medical Education*, 52(10), pp. 1028–1040. DOI: 10.1111/medu.13621
31. Green, P., Edwards, E.J. & Tower, M. (2022) 'Core procedural skills competencies and the maintenance of procedural skills for medical students: A Delphi study', *BMC Medical Education*, 22, 259. DOI: 10.1186/s12909-022-03323-9
32. Hall, A.K., Rich, J., Dagnone, J.D., Weersink, K., Caudle, J., Sherbino, J., Frank, J.R., Bandiera, G. & Van Melle, E. (2020) 'It's a marathon, not a sprint: Rapid evaluation of competency-based medical education program implementation', *Academic Medicine*, 95(5), pp. 786–793. DOI: 10.1097/ACM.0000000000003040
33. Haynes, A.B., Weiser, T.G., Berry, W.R., Lipsitz, S.R., Breizat, A.-H.S., Dellinger, E.P., Herbosa, T., Joseph, S., Kibatala, P.L., Lapitan, M.C.M., Merry, A.F., Moorthy, K., Reznick, R.K., Taylor, B. & Gawande, A.A. (2009) 'A surgical safety checklist to reduce morbidity and mortality in a global population', *New England Journal of Medicine*, 360(5), pp. 491–499. DOI: 10.1056/NEJMs0810119
34. Ijah, R.F.O.A., Mato, C.N., Aaron, F.E., Onodingene, N.M.A. & Alagbe-Briggs, O.T. (2022) 'Evaluation of the impact of undergraduate use of clinical skills laboratory on House-Officers' (Medical Interns) skills in Port Harcourt, Nigeria', *The Nigerian Health Journal*, 22(3), pp. 270–277. DOI: 10.60787/tnhj.v22i3.606
35. Ikwegbue, P.C., Enaifoghe, A.O., Maduku, H. & Agwuna, L.U. (2021) 'The challenges of COVID-19 pandemic and South Africa's response', *African Renaissance*, 18(1), pp. 271–292. DOI: 10.31920/2516-5305/2021/18n1a13.
36. Imediegwu, K.U., Uwaezuoke, A.C., Onyebuchukwu, C.Q., Dimson, C.J., Abor, J.C., Ngwu, A., Olerome, O. & Anyachie, U.E. (2022) 'Factors affecting the acquisition of basic surgical skills among surgery interns in teaching hospitals in Southeast, Nigeria', *Journal of the West African*

- College of Surgeons, 12(4), pp. 6–11. DOI: 10.4103/jwas.jwas_207_22.
37. International Surgical Outcomes Study Group (2016) 'Global patient outcomes after elective surgery: Prospective cohort study in 27 low-, middle- and high-income countries', *British Journal of Anaesthesia*, 117(5), pp. 601–609. DOI: 10.1093/bja/aew316
38. Jasmin, I. & Binnie, J. (2020) 'The lived experience of stress in British South-Asian medical students and junior doctors', *Work*, 66(3), pp. 675–687. DOI: 10.3233/WOR-203210
39. Johnson, C.E., Keating, J.L. & Molloy, E.K. (2020) 'Psychological safety in feedback: What does it look like and how can educators work with learners to foster it?', *Medical Education*, 54(6), pp. 559–570. DOI: 10.1111/medu.14154
40. Kang, M.J. & Ngissah, R.K.S. (2020) 'Self-reported confidence and perceived training needs of surgical interns at a regional hospital in Ghana: A questionnaire survey', *BMC Medical Education*, 20, 386. DOI: 10.1186/s12909-020-02319-7
41. KingPriest, P.T., Alayande, B.T., Clement, E.W., Muhammed, M., Egbiri, J.O., Shanabo, M., Osayande, E.K., Atunrase, A.A., Abubakar, J.I., Eze, D.C., Adekoya, S., Chiroma, G.B., Aikhuomogbe, O.M., Gaila, F.S., Yaga, D., Thomas, N.N., Chukwunta, C.A., Hey, M.T., Forbes, C., Riviello, R.R. & Ismaila, B.O. (2023) 'A national perspective on exposure to essential surgical procedures among medical trainees in Nigeria: A cross-sectional survey and recommendations', *BMC Medical Education*, 23, 913. DOI: 10.1186/s12909-023-04847-4
42. Kiwalabye, I., Cronjé, L., Schoeman, S. & Sommerville, T. (2021) 'A simulation-based study evaluating the preparedness of interns' post-anaesthesia rotation in managing a failed obstetric intubation scenario: Is our training good enough?', *South African Medical Journal*, 111(3), pp. 265–270. DOI: 10.7196/SAMJ.2021.v111i3.14443
43. Martin, L., Sibbald, M., Brandt Vegas, D., Russell, D. & Govaerts, M. (2020) 'The impact of entrustment assessments on feedback and learning: Trainee perspectives', *Medical Education*, 54(4), pp. 328–336. DOI: 10.1111/medu.14047
44. McColl, T., Paterson, Q., Yiu, S., Velji, A., Woods, R., Frank, J., Magee, K., Nath, A., Russell, M., Thurgur, L., Ting, D.K., Zaver, F. & Cheung, W.J. (2023) 'Ready for practice? National recommendations for emergency medicine transition to practice curriculum', *Canadian Journal of Emergency Medicine*, 25(7), pp. 558–567. DOI: 10.1007/s43678-023-00534-x
45. Miles, S., Kellett, J. & Leinster, S.J. (2017) 'Medical graduates' preparedness to practice: A comparison of undergraduate medical school training', *BMC Medical Education*, 17, 33. DOI: 10.1186/s12909-017-0859-6
46. Monrouxe, L.V., Grundy, L., Mann, M., John, Z., Panagoulas, E., Bullock, A. & Mattick, K. (2017) 'How prepared are UK medical graduates for practice? A rapid review of the literature 2009–2014', *BMJ Open*, 7(1), e013656. DOI: 10.1136/bmjopen-2016-013656
47. Morrow, G., Johnson, N., Burford, B., Rothwell, C., Spencer, J., Peile, E., Davies, C., Allen, M., Baldauf, B., Morrison, J. & Illing, J. (2012) 'Preparedness for practice: The perceptions of medical graduates and clinical teams', *Medical Teacher*, 34(2), pp. 123–135. DOI: 10.3109/0142159X.2012.643260
48. Muthaura, P.N., Khamis, T., Ahmed, M. & Hussain, S.R. (2015) 'Perceptions of the preparedness of medical graduates for internship responsibilities in district hospitals in Kenya: A qualitative study', *BMC Medical Education*, 15, 178. DOI: 10.1186/s12909-015-0463-6
49. Nkabinde, T.C., Ross, A., Reid, S. & Nkwanyana, N.M. (2013) 'Internship training adequately prepares South African medical graduates for community service – with exceptions', *South African Medical Journal*, 103(12), pp. 930–934. DOI: 10.7196/SAMJ.6702
50. Nwosu, A. (2015) 'The horror of wrong-site surgery continues: Report of two cases in a regional trauma centre in Nigeria', *Patient Safety in Surgery*, 9, 6. DOI: 10.1186/s13037-014-0053-2
51. Ohunyon, G., Ayinde, M. & Ojukwu, P.U. (2023) 'The impact of multidisciplinary collaboration on patient outcomes in emergency departments', *International Journal*

- of Advanced Multidisciplinary Research and Studies, 3(6), pp. 2727–2741. DOI: 10.62225/2583049X.2023.3.6.6029
52. Onche, V.O., Adenekan, E.T. & Sabboh, G.M. (2021) ‘Influence of personal and professional attributes of secretaries on organisational success of universities in Oyo State, Nigeria’, International Journal of Science Academic Research, 2(4), pp. 1355–1359.
53. Padley, J., Boyd, S., Jones, A. & Walters, L. (2021) ‘Transitioning from university to postgraduate medical training: A narrative review of work readiness of medical graduates’, Health Science Reports, 4(2), e270. DOI: 10.1002/hsr.2.270
54. Polley, C., Cisternino, A. & Gray, A. (2021) ‘A novel approach to medical mentoring’, The Clinical Teacher, 18(1), pp. 37–42. DOI: 10.1111/tct.13143
55. Prozesky, D.R., Molwantwa, M.C., Nkomazana, O. & Kebaetse, M.B. (2019) ‘Intern preparedness for the CanMEDS roles and the Dunning-Kruger effect: A survey’, BMC Medical Education, 19, 422. DOI: 10.1186/s12909-019-1836-z
56. Sabboh, G.M. & Alausa, S.S. (2021) ‘School climate, self-efficacy, social media and peer pressure as correlates of aggressive behaviour among secondary school adolescents in Ibadan Metropolis, Oyo State, Nigeria’, International Journal of Academic Management Science Research, 5(11), pp. 43–51.
57. Sabboh, G.M. & Ojo, Y. (2023) ‘Influence of peer approval seeking, socio-economic status and locus of control on academic self-handicapping behaviour of undergraduates in Oyo State, Nigeria’, British Journal of Multidisciplinary and Advanced Studies: Education, Learning, Training & Development, 4(4), pp. 98–112. DOI: 10.37745/bjmas.2022.0261
58. Sabboh, G.M. & Olugbade, D. (2021) ‘Influence of teaching styles and parental bonding on academic boredom among undergraduates in Oyo State, Nigeria’, African Journal of Social Sciences and Humanities Research, 4(1), pp. 122–133.
59. Sabboh, G.M. (2022) Development and validation of the revised self-esteem scale for Nigerian adolescents and youths. Master’s thesis. Moscow, Russia: National Research University Higher School of Economics.
60. Shahzad, A., Ali, S.A., Fatima, U., Erum, H. & Munawar, R. (2019) ‘Level of occupational stress and its associated factors among house officers of Dow University of Health Sciences’, International Journal of Endorsing Health Science Research, 7(1), pp. 33–38. DOI: 10.29052/IJEHSR.v7i1.2019.33-38
61. Snowden, D.A., Hau, R., Leggat, S.G. & Taylor, N.F. (2016) ‘Does clinical supervision of health professionals improve patient safety? A systematic review and meta-analysis’, International Journal for Quality in Health Care, 28(4), pp. 447–455. DOI: 10.1093/intqhc/mzw059
62. Stodel, J.M. & Stewart-Smith, A. (2011) ‘The influence of burnout on skills retention of junior doctors at Red Cross War Memorial Children’s Hospital: A case study’, South African Medical Journal, 101(2), pp. 115–118. DOI: 10.7196/SAMJ.4431
63. Talabi, O.A. (2003) ‘A questionnaire survey of senior house officers/registrar’s response to their training at University College Hospital, Ibadan’, West African Journal of Medicine, 22(2), pp. 161–163. DOI: 10.4314/wajm.v22i2.27940
64. ten Cate, O., Hart, D., Ankel, F., Busari, J., Englander, R., Glasgow, N., Holmboe, E., Iobst, W., Lovell, E., Snell, L.S., Touchie, C., Van Melle, E. & Wycliffe-Jones, K. (2016) ‘Entrustment decision making in clinical training’, Academic Medicine, 91(2), pp. 191–198. DOI: 10.1097/ACM.0000000000001044
65. Yusuf, A.O., Sabboh, G.M. & Asiyanbi, M. (2023) ‘Correlates of academic buoyancy among undergraduates in the Ibadan Metropolis’, International Journal of Academic Information Systems Research, 7(1), pp. 1–10.
66. Zhao, Y., Mbuthia, D., Gathara, D., Nzinga, J., Tweheyo, R., English, M. & Kenya & Uganda Medical Internship Experience Study Group (2023) “‘We were treated like we are nobody’”: A mixed-methods study of medical doctors’ internship experiences in Kenya and Uganda’, BMJ Global Health, 8(11), e013398. DOI: 10.1136/bmjgh-2023-013398.